



SAFETY DATA SHEET

Destix MA61 Lemon Wipes

SDS according to Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex II-EU

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Date issued 23.07.2014

1.1. Product identifier

Product name Destix MA61 Lemon Wipes
Article no. L03000000203

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group Disinfectant.
Relevant identified uses SU20 Health services
SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen)
PC8 Biocidal Products (e.g. Disinfectants, pest control)
PROC10 Roller application or brushing
ERC11B Wide dispersive indoor use of long-life articles and materials with high or intended release (including abrasive processing)
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Company name Kleinmann GmbH
Postal address Am Trieb 13
Postcode D-72820
City Sonnenbuehl
Country Germany
Tel +49(0)7128/9292-15
Fax +49(0)7128/9292-415
E-mail chemie@kleinmann.net
Website http://www.kleinmann.net
Enterprise no. DE 146 487

1.4. Emergency telephone number

Emergency telephone 8-12, Mo.-Fr.:+49(0)7128/9292-15

SECTION 2: Hazards identification

2.1. Classification of substance or mixture

Classification according to Flam. Liq. 2;H225;
Regulation (EC) No 1272/2008 Eye Dam. 1;H318;
[CLP/GHS] STOT SE3;H336;

2.2. Label elements

Hazard Pictograms (CLP)



Composition on the label	Ethanol: 24 g, 1-Propanol: 37 g, / 100 g
Signal word	Danger
Hazard statements	EUH 208 Contains D-Limonen May produce an allergic reaction. H225 Highly flammable liquid and vapour. H318 Causes Serious eye damage. H336 May cause drowsiness or dizziness.
Precautionary statements	P102 Keep out of reach of children. P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician.

2.3. Other hazards

Description of hazard	The product is highly flammable and may be ignited even after short contact with an ignition source. Vapours may cause drowsiness and dizziness. Risk of serious damage to eyes.
Environmental effects	This product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents
Wipes containing:			
Ethanol	CAS no.: 64-17-5 EC no.: 200-578-6 Index no.: 603-002-00-5 Synonyms: Ethanol	F; R11 Flam. Liq. 2; H225	15 - 30 %
1-Propanol	CAS no.: 71-23-8 EC no.: 200-746-9 Index no.: 603-003-00-0	Xi,F; R11,R41,R67 Flam. Liq. 2;H225; Eye Dam. 1;H318; STOT SE3;H336;	30 - 60 %

Substance comments	>30%: Disinfectant . <1% : perfume (D-Limonen) . The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.
--------------------	---

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Remove affected person from source of contamination.
Inhalation	Fresh air. Get medical attention if any discomfort continues.
Skin contact	Rinse with water.
Eye contact	Important! Immediately rinse with water for at least 15 minutes. May cause permanent damage if eye is not immediately irrigated. Make sure to remove any contact lenses from the eyes before rinsing. Immediately transport to hospital or eye specialist. Continue flushing during transport to hospital.
Ingestion	Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Get medical attention if any discomfort continues.
Recommended personal protective equipment for first aid responders	Wear necessary protective equipment. For personal protection, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects	As described in section 2.2 and 2.3.
Delayed symptoms and effects	Inhalation of high vapour concentrations may cause symptoms such as mild irritation, headache, dizziness, fatigue, nausea and in serious cases

unconsciousness.

4.3. Indication of any immediate medical attention and special treatment needed

Other Information In case of unconsciousness or eye contact: Immediately call a doctor / ambulance. Show this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Improper extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures. Closed containers can burst violently when heated, due to excess pressure build-up. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Personal protective equipment Wear necessary protective equipment. For personal protection, see section 8.

Fire fighting procedures Reference is made to the company fire procedure.
If risk of water pollution occurs, notify appropriate authorities.
Water spray may be used to flush spills away from exposures and dilute spills to non-flammable mixtures.
Containers close to fire should be removed immediately or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures Wear necessary protective equipment. For personal protection, see section 8.
Do not smoke, use open fire or other sources of ignition.

6.2. Environmental precautions

Environmental precautionary measures Avoid discharge into water courses or onto the ground.
Contact local authorities in case of spillage to drain/aquatic environment.

6.3. Methods and material for containment and cleaning up

Cleaning method Absorb spillage with non-combustible, absorbent material. Wash contaminated area with water.

6.4. Reference to other sections

Other instructions See section 8 and section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling Avoid inhalation of vapours/spray and contact with skin and eyes.
Keep away from heat, sparks and open flame.

7.2. Conditions for safe storage, including any incompatibilities

Storage Store in tightly closed original container in a well-ventilated place. Do not store near heat sources or expose to high temperatures.

Other Information Follow rules for flammable liquids.

Conditions for safe storage

Storage Temperature Value: -5-25 °C.

Storage Stability Durability: 24 months.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure limit values

Substance	Identification	Value	TWA Year
Ethanol	CAS no.: 64-17-5 EC no.: 200-578-6 Index no.: 603-002-00-5 Synonyms: Ethanol	8-hour TWA: 1000 ppm 8-hour TWA: 1920 mg/m ³	2011
1-Propanol	CAS no.: 71-23-8 EC no.: 200-746-9 Index no.: 603-003-00-0	8-hour TWA: 500 mg/m ³ , H 8-hour TWA: 200 ppm, H	2007

DNEL / PNEC

Summary of risk management measures, human Data lacking.

Summary of risk management measures, environment Data lacking.

8.2. Exposure controls

Recommended monitoring procedures Not known.

Limitation of exposure on workplace Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Safety signs



Respiratory protection

Respiratory protection If ventilation is insufficient, use a respirator with type A (EN 141) gas filter.

Hand protection

Hand protection Hand protection not required.

Eye / face protection

Eye protection Wear approved chemical safety goggles where eye exposure is reasonably probable.

Skin protection

Skin protection (except hands) No special precautions.

Thermal hazards

Thermal hazards See section 5.

Appropriate environmental exposure control

Environmental exposure controls See section 6.

Other Information

Other Information DO NOT SMOKE IN WORK AREA!

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Fluid.
Colour	Colourless.
Odour	Odour of alcohol.
pH (as supplied)	Value: ~ 8,0
Flash point	Value: 28 °C
Specific gravity	Value: ~ 0,89 kg/l.
Solubility description	Completely soluble in water.

9.2. Other information

Content Of Voc Value: ~ 536 g/l

Other physical and chemical properties

Comments No data recorded.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions See section 10.4 and section 10.5.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No information required.

10.6. Hazardous decomposition products

Hazardous decomposition products During fire, toxic gases (CO, CO₂) are formed.

Other information

Other Information No data recorded.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicological Information:**

Other toxicological data Toxicological tests on the product has not been performed.

Toxicological data for substances

Substance No data available for ingredient(s).

LD50 oral Value: - -
Animal test species: -
Duration: -
Comments: -

Other information regarding health hazards

General No information about adverse effects due to exposure.

Potential acute effects

Inhalation In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Aerosols irritate the respiratory system, and may cause coughing and difficulties in breathing.

Skin contact Prolonged or repeated skin contact may cause cracked and dry skin.

Eye contact May cause permanent damage to eyes, especially if the product is not washed away IMMEDIATELY.

Ingestion Ingestion may cause irritation of the gastrointestinal tract, vomiting and diarrhoea.

Symptoms of Exposure

Symptoms of overexposure High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

SECTION 12: Ecological information**12.1. Toxicity**

Aquatic, comments No data available for the product.

Toxicological data for substances

Substance No data available for ingredient(s).

Aquatic, comments -

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility Not regarded as dangerous for the environment. The product is miscible with water. May spread in water systems.

12.5. Results of PBT and vPvB assessment

PBT assessment results Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

Environmental details, summation For this product no classification is required for environmental hazards.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Specify the appropriate methods of disposal Dispose of waste and residues in accordance with local authority requirements.

Product classified as hazardous waste Yes

Packaging classified as hazardous waste Yes

EWC waste code EWC: 0706 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics

Other Information When handling waste, consideration should be made to the safety precautions applying to handling of the product. Waste code applies to product remnants in pure form.

SECTION 14: Transport information**14.1. UN number**

ADR 3175

RID 3175

IMDG 3175

ICAO/IATA 3175

14.2. UN proper shipping name

ADR SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol, 1-propanol)

RID SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol, 1-propanol)

IMDG SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol, 1-propanol)

ICAO/IATA SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol, 1-propanol)

14.3. Transport hazard class(es)

ADR 4.1

Hazard no. 40

RID 4.1

IMDG 4.1

ICAO/IATA 4.1

14.4. Packing group

ADR II

RID II

IMDG II

ICAO/IATA II

14.5. Environmental hazards

IMDG Marine pollutant	No
-----------------------	----

14.6. Special precautions for user

EmS	F-A, S-I
Special safety precautions for user	Not relevant.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**Additional information.**

Additional information.	Not relevant.
-------------------------	---------------

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-directive	Dangerous Preparations Directive 1999/45/EC. Dangerous Substance Directive 67/548/EEC.
Other Label Information	Restricted to professional users.
Legislation and regulations	The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). The Cosmetic Products (Safety) Regulations 2003 (S.I 2003 No. 835).

15.2. Chemical safety assessment

Chemical safety assessment performed	No
--------------------------------------	----

SECTION 16: Other information

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]	Flam. Liq. 2; H225; Eye Dam. 1; H318; STOT SE3; H336;
List of relevant R-phrases (under headings 2 and 3).	R67 Vapours may cause drowsiness and dizziness. R11 Highly flammable. R41 Risk of serious damage to eyes.
List of relevant H-phrases (Section 2 and 3).	H318 Causes Serious eye damage. H225 Highly flammable liquid and vapour. H336 May cause drowsiness or dizziness.
Training advice	No particular training or education is required but the user must be familiar with this SDS. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
Information which has been added, deleted or revised	New safety data sheet.
Version	1
Responsible for safety data sheet	Kleinmann GmbH
Prepared by	MP